

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC COOL SMU 2

Print date: 10.02.2017

Product code: 65061-998-00

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

HIGHTEC COOL SMU 2

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Metallbearbeitungsprodukt, wassermischbar (Neat, metal working product, watermiscible)

1.3. Details of the supplier of the safety data sheet

Company name:	ROWE MINERALOELWERK GMBH	
Street:	Langgewann 101	
Place:	D-67547 Worms	
Telephone:	+49 (0)6241 5906-0	Telefax: +49 (0)6241 5906-999
e-mail:	info@rowe-mineraloel.com	
Internet:	www.rowe-mineraloel.com	
Responsible Department:	Kundenservice	

1.4. Emergency telephone number: Giftnotruf Mainz (DE; E) +49 (0)6131-19240**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:
Skin corrosion/irritation: Skin Irrit. 2
Hazard Statements:
Causes skin irritation.

2.2. Label elements**Regulation (EC) No. 1272/2008****Signal word:** Warning**Pictograms:****Hazard statements**

H315 Causes skin irritation.

Precautionary statements

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients**3.2. Mixtures**

according to Regulation (EC) No 1907/2006

HIGHTEC COOL SMU 2

Print date: 10.02.2017

Product code: 65061-998-00

Page 2 of 8

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
68920-66-1	Alcohol, C16-18', ethoxylated			5 - < 15 %
	Skin Irrit. 2; H315			
105-59-9	2,2'-(methylinino)diethanol, N-methyldiethanolamine			5 - < 15 %
	203-312-7	603-079-00-5		
	Eye Irrit. 2; H319			
115-86-6	Triphenyl phosphate (>5%)			<0,5 %
	204-112-2		01-2119457432-41	
	Aquatic Acute 1 (M-Factor = 1), Aquatic Chronic 2; H400 H411			
55406-53-6	Iodine-propinyl-butyl carbamate			<0,2 %
	Acute Tox. 4, Acute Tox. 4, Eye Dam. 1, Skin Sens. 1, STOT SE 3, Aquatic Acute 1 (M-Factor = 10); H302 H332 H318 H317 H335 H400			
122-99-6	2-phenoxyethanol			<0,2 %
	204-589-7	603-098-00-9		
	Acute Tox. 4, Eye Irrit. 2; H302 H319			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air.

After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Rinse mouth immediately and drink plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

HIGHTEC COOL SMU 2

Print date: 10.02.2017

Product code: 65061-998-00

Page 3 of 8

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately.
Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Further information on handling

No special hazards known when the product is properly used and the precautionary measures indicated are observed.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Advice on storage compatibility

No special measures are necessary.

7.3. Specific end use(s)

Metallbearbeitungsprodukt, wassermischbar (Neat, metal working product, watermiscible)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
115-86-6	Triphenyl phosphate	-	3		TWA (8 h)	WEL
		-	6		STEL (15 min)	WEL

8.2. Exposure controls

HIGHTEC COOL SMU 2

Print date: 10.02.2017

Product code: 65061-998-00

Page 4 of 8



Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.
Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Protect skin by using skin protective cream.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	red brown
Odour:	characteristic

Test method

pH-Value (at 20 °C):	10% in H ₂ O	9,2-9,4	DIN 51369
----------------------	-------------------------	---------	-----------

Changes in the physical state

Melting point:	not determined
Initial boiling point and boiling range:	not determined
Flash point:	not determined

Flammability

Solid:	not applicable
Gas:	not applicable

Lower explosion limits:	not determined
Upper explosion limits:	not determined

Auto-ignition temperature

Solid:	not applicable
Gas:	not applicable

Decomposition temperature:	not determined
----------------------------	----------------

Oxidizing properties

Not oxidizing.

Vapour pressure:	not determined
------------------	----------------

Density (at 20 °C):	0,97-0,99 g/cm ³	DIN 51757
---------------------	-----------------------------	-----------

Water solubility:	easily soluble
-------------------	----------------

according to Regulation (EC) No 1907/2006

HIGHTEC COOL SMU 2

Print date: 10.02.2017

Product code: 65061-998-00

Page 5 of 8

Solubility in other solvents

not determined

Partition coefficient:

not determined

Vapour density:

not determined

Evaporation rate:

not determined

9.2. Other information

Solid content:

0

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

possible with strong oxidizing agents.

10.4. Conditions to avoid

Oxidizing agents. acid. Alkalis (alkalis).

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

CAS No	Chemical name			
	Exposure route	Dose	Species	Source
105-59-9	2,2'-(methylimino)diethanol, N-methyldiethanolamine			
	oral	LD50 4680 mg/kg	Rat	
115-86-6	Triphenyl phosphate (>5%)			
	oral	LD50 >20000 mg/kg	Rat	
	dermal	LD50 >10000 mg/kg		
55406-53-6	Iodine-propinyl-butyl carbamate			
	oral	LD50 300-500 mg/kg	Rat	
	dermal	LD50 5000 mg/kg	Rabbit	
	inhalative vapour	ATE 11 mg/l		
	inhalative aerosol	ATE 1,5 mg/l		
122-99-6	2-phenoxyethanol			
	oral	LD50 1850 mg/kg	Rat	
	dermal	LD50 >2000 mg/kg	Rabbit	

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC COOL SMU 2

Print date: 10.02.2017

Product code: 65061-998-00

Page 6 of 8

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name				
	Aquatic toxicity	Dose	[h] [d]	Species	Source
105-59-9	2,2'-(methylinino)diethanol, N-methyldiethanolamine				
	Acute fish toxicity	LC50 1000 - 2200 mg/l	96 h	Leuciscus idus	
	Acute algae toxicity	ErC50 37 mg/l	72 h	Desmodesmus subspicatus	
	Acute crustacea toxicity	EC50 233 mg/l	48 h	Daphnia magna	
115-86-6	Triphenyl phosphate (>5%)				
	Acute fish toxicity	LC50 0,5 mg/l	96 h		
55406-53-6	Iodine-propinyl-butyl carbamate				
	Acute fish toxicity	LC50 0,067 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)	
	Acute algae toxicity	ErC50 0,022 mg/l	72 h	Desmodesmus subspicatus	
	Acute crustacea toxicity	EC50 0,16 mg/l	48 h	Daphnia magna	
	Acute bacteria toxicity	(5000 mg/l)			
122-99-6	2-phenoxyethanol				
	Acute fish toxicity	LC50 220 - 460 mg/l	96 h	Leuciscus idus	
	Acute algae toxicity	ErC50 > 500 mg/l	72 h	Scenedesmus sp.	
	Acute crustacea toxicity	EC50 > 500 mg/l	48 h	Daphnia magna	

12.2. Persistence and degradability

No data available

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
55406-53-6	Iodine-propinyl-butyl carbamate			
	OECD 301F	84%	28	

12.3. Bioaccumulative potential

No data available

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
105-59-9	2,2'-(methylinino)diethanol, N-methyldiethanolamine	-1,08
122-99-6	2-phenoxyethanol	1,16

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Other adverse effects

No data available

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC COOL SMU 2

Print date: 10.02.2017

Product code: 65061-998-00

Page 7 of 8

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products

120109 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; machining emulsions and solutions free of halogens
Classified as hazardous waste.

Waste disposal number of used product

120109 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; machining emulsions and solutions free of halogens
Classified as hazardous waste.

Waste disposal number of contaminated packaging

120109 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; machining emulsions and solutions free of halogens
Classified as hazardous waste.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Air transport (ICAO)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

Safety Data Sheet

according to Regulation (EC) No 1907/2006

HIGHTEC COOL SMU 2

Print date: 10.02.2017

Product code: 65061-998-00

Page 8 of 8

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2004/42/EC (VOC): 5,558 % (53,909 g/l)

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

Water contaminating class (D): 2 - water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)